AGEING WELL WITH PARKINSON'S

BIBLIOGRAPHY

Amin, A, Banitsas, K, Young, W R. (2018) Kinect4FOG: monitoring and improving mobility in people with Parkinson's using a novel system incorporating the Microsoft Kinect v2 *Disability and Rehabilitation: Assistive Technology*

Amick, M M, Grace, j, Chou, K L (2006) Body side of motor symptom onset in Parkinson's disease is associated with memory performance. *Journal of the International Neuropsychological Society Vol12 (5) 736-740*

Arias, P, Cudeiro, J (2010) Effect of Rhythmic Auditory Stimulation on Gait in Parkinsonian Patients with and without Freezing of Gait. *PLOS One 5(3)* ***https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0009675***

Aspinall, P., Mavros, P., Coyne, R., Roe, J. (2013) The urban brain: analysing **outdoor** physical activity with mobile EEG. *British Journal of Sports Medicine Online*

Berardelli,A, J. C. Rothwell, J C, Thompson, P D, Hallett, M (2001) Pathophysiology of bradykinesia in Parkinson's disease. *Brain Journal of Neurology Vol 124 (11)*

Bowler, D.E., Buyung-Ali, L. M., Knight, T.M., Pullin, A.S. (2010). A systematic review of evidence for the added benefits to health of exposure to natural environments**.** *BMC Public Health* [online]**10**:456

Bronstein, A, Brandt, T, Woollacott, M H, Nutt, J G, (2004) Clinical Disorders of Balance, Posture and Gait (2nd Ed) New York Oxford University Press

Cancela, J M, Cardalda, I M, Aván, Machado de Oliveira, I (2018) Feasibility and Efficacy of Mat Pilates on People with Mild-to-Moderate Parkinson's Disease: A Preliminary Study ***Rejuvenation Research VOL. 21, NO. 2***

Carney, DR, Cuddy AJC, Yap, AJ (2015) Review and summary of research on the embodied effects of expansive (vs. contractive) nonverbal displays. *Psychological Science Journal, Vol 26 (5) 657-663*

Doherty K M, van de Warrenburg B P, Peralta M C, Silveira-Moriyama, Bloem, BR. (2011) Postural Deformities in Parkinson's Disease. *The Lancet Neurology Vol 10 (6) 538-549*

Drago, V., Foster, PS., Skidmore, FM., Heilman, KM. (2009) Creativity in Parkinson's Disease as Function of Right Versus Left Hemibody Onset. *Journal of the Neurological Sciences [online] vol 276(1): 179-183*

Ebersbach, G, Ebersbach, A Edler, D Kaufhold, O Kusch, M Kupsch, A Wissel, J (2010) Comparing exercise in Parkinson's disease—The Berlin LSVT®BIG study. *Movement Disorders*

AGEING WELL WITH PARKINSON'S

Fox, M (2017) Vigorous exercise can slow Parkinson's. *https://www.nbcnews.com/health/health-news/vigorous-exercise-can-slow-parkinson-s-n828521*

Frazzitta, G, Ferrazzoli, D, Maestri, R, Rovescala, R, Guaglio, G, Bera, R, Volpe, D, Pezzoli, G: (2015) Differences in Muscle Strength in Parkinsonian Patients Affected on the Right and Left Side. *PLOS Online Journal 0121251*

Frazzitta, G, Maestri, R, Bertotti, G, Riboldazzi, G, Boveri, N, Perini, M, Uccellini, D, Turla, M, Comi, C, Pezzoli, G, Felice, G. (2015) Intensive Rehabilitation Treatment in Early Parkinson's Disease: *Neurorehabilitation Neural Repair*, Vol. 29(2) 123–131

Haaxma,C A[ab12]Helmich, R C G, [a12]Borm, G F [c2]Kappelle, A C, [a]Horstink, M W I M [ab3]Bloem, B R [ab](2010) **Side of symptom onset affects motor dysfunction in Parkinson's disease.** *eurodegeneration, Neuroprotection, and Disease-Oriented Neuroscience*

Holden, M K (2005) Virtual Environments for Motor Rehabilitation: Review ***CyberPsychology and Behavior*** *[online]* ***Vol. 8 (3)***

Li, F, Harmer, P, Liu, Y, Eckstrom, E, Fitzgerald, K, Stock, R, Li, S C (2013) A randomized controlled trial of patient-reported outcomes with tai chi exercise in Parkinson's disease. *Movement Disorders Vo 29 (4)*

Lovatt, P (2018) Dance Psychology: the science of dance and dancers. Norfolk UK: Dr Dance Presents

Mazilu, S, Hardegger, M, Zhu , Z, Roggen, D, Tröster, G, Plotnik, M, Hausdorff, J M (2012) Online detection of freezing of gait with smartphones and machine learning techniques. *6th International Conference on Pervasive Computing Technologies for Healthcare (PervasiveHealth) and Workshops*

Reuter, I., Mehnert, S., Leone. P., Kaps. M., Oechsner, M., Engelhardt, M. (2011) Effects of a Flexibility and Relaxation Programme, Walking, and Nordic Walking on Parkinson's Disease. *Journal of Aging Research* vol. 2011, Article ID 232473, 18 pages, 2011.

Ridgel, A L, Vitek, J L, Alberts, J L (2009) Forced, Not Voluntary, Exercise Improves Motor Function in Parkinson's Disease Patients *Neurorehabilitation Neural Repair* 23: 600

Rose, DC, Annett, L & Lovatt, P (2017) Understanding rhythm perception, production and entertainment in relation to dance for people with Parkinson's disease *Rhythm Perception and Production Workshop , Birmingham, United Kingdom, 3/07/17 - 5/07/17* .

Scandalis, T A., Bosak, A., Berliner, J C., Helman, L L., Wells, M R. (2001) Resistance Training and Gait Function in Patients with Parkinson's Disease. *American Journal of Physical Medicine & Rehabilitation* [online] vol 80 (1):38-43

Scholl, U.I. (2013) The Brain, Dance/Movement, Music and Parkinson's. Lecture notes distributed in Dance for Parkinson's at University of Roehampton, London on 22 June 2013.

Stuckenschneider, T, [*] Askew, C D, Menêses, A L. Baake, R[a] Weber, J, Schneider, S (2019) The Effect of Different Exercise Modes on Domain-Specific Cognitive Function in Patients Suffering from Parkinson's Disease: A Systematic Review of Randomized Controlled Trials. ***Journal of Parkinson's Disease***, vol. 9, no. 1, pp. 73-95

Thompson, R (2018) Gardening for Health: a regular dose of gardening *Clinical Medicine Vol 18(3) 201-205*

Van Eijkeren, FJM., Reijmers, RSJ., Kleinveld, MJ., Minten, A., ter Bruggen, JP, Bloem, BR (2008) Nordic Walking Improves Mobility in Parkinson's Disease. *Movement Disorders* [online] vol23 (15): 2239-2243

Weil, R S, Schrag, A E, Warren, J D, Crutch, S J, Lees, A J, Morris, H R (2016) Visual dysfunction in Parkinson's disease *Brain*, *Volume 139, Issue 11, November 2016, Pages 2827–2843*

Young, W R, Shreve, L, Quinn, E J, Craig, c, Bronte-Stewart, H (2016) Auditory cueing in Parkinson's patients with freezing of gait. What matters most: Action-relevance or cue-continuity? *Neuropsychologia 87 pp54-62*